



P.B.5818 - Patentlaan 2  
2280 HV Rijswijk (ZH)  
☎ +31 70 340 2040  
TX 31651 epo nl  
FAX +31 70 340 3016

Europäisches  
Patentamt

Zweigstelle  
in Den Haag  
Recherchen-  
abteilung

European  
Patent Office

Branch at  
The Hague  
Search  
division

Offic européen  
des brevets

Département a  
La Haye  
Division de la  
recherche

Hackett, Sean James  
Marks & Clerk,  
Patent Attorneys,  
Alpha Tower,  
Suffolk Street Queensway  
Birmingham B1 1TT  
GRANDE BRETAGNE

Datum/Date

26.02.03

Zeichen/Ref./Rel. <b>F070511PEP</b>	Anmeldung Nr./Application No./Demande n°./Patent Nr./Patent No./Brevet n°. <b>00913924.7-1242-US0006641</b>
Anmelder/Applicant/Demandeur/Patentinhaber/Proprietor/Titulaire <b>Luminary Logic Limited</b>	

## COMMUNICATION

The European Patent Office herewith transmits as an enclosure the European search report for the above-mentioned European patent application.

If applicable, copies of the documents cited in the European search report are attached.

☐ Additional set(s) of copies of the documents cited in the European search report is (are) enclosed as well.

## REFUND OF THE SEARCH FEE

If applicable under Article 10 Rules relating to fees, a separate communication from the Receiving Section on the refund of the search fee will be sent later.





European Patent  
Office

**SUPPLEMENTARY  
EUROPEAN SEARCH REPORT**

Application Number  
EP 00 91 3924

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	US 4 115 994 A (TOMLINSON JAMES N) 26 September 1978 (1978-09-26).	1-16, 18	G12B11/00 B60Q3/04 G04B19/30
Y	* the whole document *	17, 19-23	
	----		
A	US 4 330 877 A (BARNES ROBERT W) 18 May 1982 (1982-05-18) * the whole document *	1-16	
	----		
Y	DE 40 09 966 A (FU WANG CHIN) 17 October 1991 (1991-10-17) * the whole document *	17, 19-23	
	----		
Y	GB 418 605 A (CLAUDE GENERAL NEON LIGHTS LTD; CLIFFORD HIGGINS) 29 October 1934 (1934-10-29) * the whole document *	17	
	-----		
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			B60Q G12B G04B
The supplementary search report has been based on the last set of claims valid and available at the start of the search.			
Place of search <b>THE HAGUE</b>		Date of completion of the search <b>19 February 2003</b>	Examiner <b>Castagné, O</b>
<b>CATEGORY OF CITED DOCUMENTS</b> X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

1

EPO FORM 1503 03 82 (P04C04)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 00 91 3924

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

19-02-2003

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4115994	A	26-09-1978	NONE	
US 4330877	A	18-05-1982	NONE	
DE 4009966	A	17-10-1991	DE 4009966 A1	17-10-1991
GB 418605	A	29-10-1934	NONE	

## Illuminating device for watches, gauges and similar devices

Patent Number: ☐ US6106127  
Publication date: 2000-08-22  
Inventor(s): FUWAUSA MICHELLE JILLIAN (US)  
Applicant(s): LUMINARY LOGIC LTD (US)  
Requested Patent: ☐ EP1080472 (WO0057425)  
Application Number: US19990272913 19990319  
Priority Number(s): US19990272913 19990319  
IPC Classification: G01D11/28  
EC Classification: G01D11/28, B60Q3/04  
Equivalents: CA2332855, JP2002540411T, ☐ WO0057425

### Abstract

A light source is positioned to direct light downward from the cover of a conventional analog or electro-optical watch, indicator gauge, a meter panel directional gauge or ornamentation display of an image, logo or design or other similar articles. These articles are illuminated by the source for viewing in low light or in the dark by an illumination switch to activate said element. The light source is preferably an LED and it is small enough so that when it is off, it is virtually invisible.

Data supplied from the esp@cenet database - I2